

Inventor Name Search Result

Your Search was:

Last Name = KOKUBO

First Name = SATOSHI

Application#	Patent#	Status	Date Filed	Title	Inventor Name 7
<u>10611435</u>	Not Issued	019	07/02/2003	DATA RECORDING DEVICE	KOKUBO, SATOSHI
<u>09471160</u>	Not Issued	071	12/23/1999	SLIT COATING METHOD AND METHOD OF MANUFACTURING COLOR FILTER SUBSTRATE USING SAME	KOKUBO, SATOSHI
<u>09470210</u>	<u>6517979</u>	150	12/22/1999	COATING METHOD, COATING SYSTEM, METHOD OF MANUFACTURING COLOR FILTER SUBSTRATE EMPLOYING THE COATING METHOD, AND LIQUID CRYSTAL DISPLAY DEVICE EMPLOYING THE COLOR FILTER SUBSTRATE MANUFACTURED IN ACCORDANCE WITH THE COATING METHOD	KOKUBO, SATOSHI
<u>09468865</u>	Not Issued	161	12/21/1999	METHOD FOR PRODUCING COLOR FILTER	KOKUBO, SATOSHI
<u>09447270</u>	<u>6287636</u>	150	11/23/1999	COATING APPARATUS, COATING METHOD, METHOD FOR PRODUCING COLOR FILTER SUBSTRATE, AND LIQUID-CRYSTAL DISPLAY APPARATUS USING THE COLOR FILTER SUBSTRATE PRODUCED BY THE METHOD	KOKUBO , SATOSHI
<u>09436988</u>	<u>6652653</u>	150	11/09/1999	COATING APPARATUS, METHOD FOR PRODUCING COLOR FILTER SUBSTRATE BY USE OF THE COATING APPARATUS, AND LIQUID-CRYSTAL DISPLAY APPARATUS USING THE COLOR FILTER SUBSTRATE PRODUCED BY THE METHOD	KOKUBO, SATOSHI
<u>09433562</u>	<u>6352804</u>	150	11/04/1999	BLACK MATRIX OF RESIN, METHOD FOR PRODUCING THE SAME, METHOD FOR PRODUCING COLOR FILTER USING THE SAME, AND LIQUID CRYSTAL ELEMENT PRODUCED BY THE SAME COLOR FILTER PRODUCTION METHOD	KOKUBO , SATOSHI

Inventor Search Completed: No Records to Display.

	Last Name	First Name	
Search Another: Inventor	<input type="text" value="KOKUBO"/>	<input type="text" value="SATOSHI"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Inventor Name Search Result

Your Search was:

Last Name = YOSHIKAWA

First Name = TOSHIAKI

Application#	Patent#	Status	Date Filed	Title	Inventor Name 29
29139093	D460516	150	03/26/2001	FISHING REEL BODY	YOSHIKAWA, TOSHIAKI
29115005	D440626	150	12/07/1999	LINE SLIDER FOR A SPINNING FISHING REEL	YOSHIKAWA , TOSHIAKI
29076842	D403395	150	09/23/1997	FISHING REEL BODY	YOSHIKAWA , TOSHIAKI
29076829	D400960	150	09/23/1997	FISHING REEL BODY	YOSHIKAWA , TOSHIAKI
10404325	Not Issued	093	04/02/2003	AIR CONDITIONER	YOSHIKAWA, TOSHIAKI
09987831	Not Issued	041	11/16/2001	DISPLAY APPARATUS AND PROCESS FOR PRODUCTION THEREOF	YOSHIKAWA, TOSHIAKI
09535535	6318654	150	03/27/2000	SPINNING REEL FOR FISHING	YOSHIKAWA, TOSHIAKI
09511247	6366332	150	02/23/2000	DISPLAY APPARATUS AND PROCESS FOR PRODUCTION THEREOF	YOSHIKAWA, TOSHIAKI
09471160	Not Issued	071	12/23/1999	SLIT COATING METHOD AND METHOD OF MANUFACTURING COLOR FILTER SUBSTRATE USING SAME	YOSHIKAWA, TOSHIAKI
09447276	6500352	150	11/23/1999	ELECTRODE PLATE, LIQUID CRYSTAL DEVICE AND PRODUCTION THEREOF	YOSHIKAWA , TOSHIAKI
09328468	6184964	150	06/09/1999	ELECTRODE PLATE WITH TWO- LAYER METAL ELECTRODES INCLUDING COPPER OR SILVER LAYER, AND FLATTENED ANTI- OXIDATION AND INSULATING LAYERS	YOSHIKAWA , TOSHIAKI
08899057	6219125	150	07/23/1997	ELECTRODE PLATE, PROCESS FOR PRODUCING THE PLATE, FOR AN LCD HAVING A LAMINATED ELECTRODE WITH A METAL NITRIDE LAYER	YOSHIKAWA , TOSHIAKI
08879605	6106907	150	06/20/1997	ELECTRODE PLATE, LIQUID CRYSTAL DEVICE AND PRODUCTION THEREOF	YOSHIKAWA , TOSHIAKI

<u>08814318</u>	<u>6208400</u>	150	03/11/1997	ELECTRODE PLATE HAVING METAL ELECTRODES OF ALUMINUM OR NICKEL AND COPPER OR SILVER DISPOSED THEREON	YOSHIKAWA , TOSHIAKI
<u>08811296</u>	<u>6128057</u>	150	03/04/1997	LCD WITH MASKING MEMBER HAVING MULTIPLE PORTIONS HAVING DIFFERENT CHARACTERISTICS	YOSHIKAWA , TOSHIAKI
<u>08677739</u>	<u>6228435</u>	150	07/10/1996	PROCESS FOR TREATING BASE TO SELECTIVELY IMPART WATER REPELLENCY, LIGHT-SHIELDING MEMBER FORMED SUBSTRATE, AND PRODUCTION PROCESS OF COLOR FILTER SUBSTRATE FOR PICTURE DEVICE	YOSHIKAWA , TOSHIAKI
<u>08502703</u>	<u>5720808</u>	150	07/14/1995	METHOD FOR FORMING DIAMOND FILM	YOSHIKAWA , TOSHIAKI
<u>08480343</u>	<u>6015594</u>	150	06/07/1995	METHOD AND APPARATUS FOR FORMING A FILM BY SPUTTERING PROCESS	YOSHIKAWA , TOSHIAKI
<u>08201099</u>	<u>5449444</u>	150	02/24/1994	METHOD AND APPARATUS FOR FORMING A FILM BY SPUTTERING PROCESS	YOSHIKAWA , TOSHIAKI
<u>07946461</u>	Not Issued	166	11/18/1992	METHOD AND APPARATUS FOR FORMING A FILM BY SPUTTERING PROCESS	YOSHIKAWA , TOSHIAKI
<u>07469393</u>	<u>4989544</u>	150	01/24/1990	APPARATUS FOR FORMING FUNCTIONAL DEPOSITED FILMS BY WAY OF HYBRID EXCITATION	YOSHIKAWA , TOSHIAKI
<u>07453501</u>	<u>D324716</u>	150	12/20/1989	FISHING REEL	YOSHIKAWA , TOSHIAKI
<u>07403322</u>	<u>D324719</u>	150	09/06/1989	FISHING REEL BODY	YOSHIKAWA , TOSHIAKI
<u>07285954</u>	<u>D316443</u>	150	12/19/1988	FISHING REEL	YOSHIKAWA , TOSHIAKI
<u>07221182</u>	<u>D314808</u>	150	07/19/1988	REEL FOR FISHING	YOSHIKAWA , TOSHIAKI
<u>07189606</u>	<u>D309650</u>	150	05/02/1988	FISHING REEL BODY	YOSHIKAWA , TOSHIAKI
<u>07189604</u>	<u>D309340</u>	150	05/02/1988	FISHING REEL	YOSHIKAWA , TOSHIAKI
<u>07168329</u>	<u>D307785</u>	150	03/15/1988	REEL FOR FISHING	YOSHIKAWA , TOSHIAKI
<u>07064455</u>	<u>D299511</u>	150	06/22/1987	REEL FOR FISHING	YOSHIKAWA , TOSHIAKI

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	Search
	YOSHIKAWA	TOSHIAKI	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

L Number	Hits	Search Text	DB	Time stamp
1	6	(Kokubo.in. or Yoshikawa.in. or Canon.as.) and (coat\$3 near2 (slit or head or die or applicator)) and (((rins\$3 or clean\$3) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) same (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 10:19
2	4	(Kokubo.in. or Yoshikawa.in. or Canon.as.) and (coat\$3 near2 (slit or head or die or applicator)) and (((rins\$3 or clean\$3) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) and (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)))	EPO; JPO; DERWENT; IBM_TDB	2003/12/18 10:13
3	1	((Kokubo.in. or Yoshikawa.in. or Canon.as.) and (coat\$3 near2 (slit or head or die or applicator)) and (((rins\$3 or clean\$3) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) and (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)))) not ((Kokubo.in. or Yoshikawa.in. or Canon.as.) and (coat\$3 near2 (slit or head or die or applicator)) and (((rins\$3 or clean\$3) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) same (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied))))	EPO; JPO; DERWENT; IBM_TDB	2003/12/18 10:14
4	1	6652653.pn.	USPAT; US-PGPUB	2003/12/18 10:15
5	3297	((427/162,163.2,164,165,168) or (359/885)).CCLS.	USPAT; US-PGPUB	2003/12/18 10:15
6	4058	((427/421,424,425,426) or (118/300,302)).CCLS.	USPAT; US-PGPUB	2003/12/18 10:16
7	443	(118/104,203).CCLS.	USPAT; US-PGPUB	2003/12/18 10:16
8	602	(118/125,256).CCLS.	USPAT; US-PGPUB	2003/12/18 10:16
9	8283	((427/162,163.2,164,165,168) or (359/885)).CCLS.) ((427/421,424,425,426) or (118/300,302)).CCLS.) ((118/104,203).CCLS.) ((118/125,256).CCLS.)	USPAT; US-PGPUB	2003/12/18 10:17
10	1	((118/104,203).CCLS.) and ((black adj matrix) or (color adj filter))	USPAT; US-PGPUB	2003/12/18 10:17
11	5	((118/104,203).CCLS.) and ((coat\$3 near2 (slit or die)))	USPAT; US-PGPUB	2003/12/18 10:18
12	24	((427/162,163.2,164,165,168) or (359/885)).CCLS.) ((427/421,424,425,426) or (118/300,302)).CCLS.) ((118/104,203).CCLS.) ((118/125,256).CCLS.) and (coat\$3 near2 (slit or head or die or applicator)) and (((rins\$3 or clean\$3) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) same (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)))	USPAT; US-PGPUB	2003/12/18 10:19
13	43	((427/162,163.2,164,165,168) or (359/885)).CCLS.) ((427/421,424,425,426) or (118/300,302)).CCLS.) ((118/104,203).CCLS.) ((118/125,256).CCLS.) and (coat\$3 near2 (slit or head or die or applicator)) and (((rins\$3 or clean\$3 or solvent) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) same (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)))	USPAT; US-PGPUB	2003/12/18 10:22

14	67	(coat\$3 near2 (slit or head or die or applicator)) and (((rins\$3 or clean\$3 or solvent) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) same (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)))	EPO; JPO; DERWENT; IBM_TDB	2003/12/18 10:28
15	21	(coat\$3 near2 (slit or head or die or applicator)) and (((rins\$3 or clean\$3 or solvent) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) with (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)) with (seperat\$4 or different or exclusive or exclud\$3))	USPAT; US-PGPUB	2003/12/18 10:32
16	5	((rins\$3 or clean\$3 or solvent) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) with (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)) with (seperat\$4 or different or exclusive or exclud\$3)) and (((427/162,163.2,164,165,168) or (359/885)).CCLS.) (((427/421,424,425,426) or (118/300,302)).CCLS.) ((118/104,203).CCLS.) ((118/125,256).CCLS.))	USPAT; US-PGPUB	2003/12/18 10:32
17	1	((((rins\$3 or clean\$3 or solvent) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) with (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)) with (seperat\$4 or different or exclusive or exclud\$3)) and (((427/162,163.2,164,165,168) or (359/885)).CCLS.) (((427/421,424,425,426) or (118/300,302)).CCLS.) ((118/104,203).CCLS.) ((118/125,256).CCLS.))) not ((coat\$3 near2 (slit or head or die or applicator)) and (((rins\$3 or clean\$3 or solvent) near2 (liquid or fluid or solvent or path or supply\$3 or supplied)) with (coat\$3 near2 (liquid or path or fluid or supply\$3 or supplied)) with (seperat\$4 or different or exclusive or exclud\$3)))	USPAT; US-PGPUB	2003/12/18 10:32
18	19	((rins\$3 or clean\$3 or solvent) near2 (path or supply\$3 or supplied or pipe or pipeline or tube or source)) with (coat\$3 near2 (path or supply\$3 or supplied or pipe or pipeline or tube or source)) with (seperat\$4 or different or exclusive or exclud\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 10:34
19	46	((rins\$3 or clean\$3 or solvent or wash\$3) near3 (path or supply\$3 or supplied or pipe or pipeline or tube or source)) with (coat\$3 near3 (path or supply\$3 or supplied or pipe or pipeline or tube or source)) with (seperat\$4 or different or exclusive or exclud\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 10:35
20	27	((((rins\$3 or clean\$3 or solvent or wash\$3) near3 (path or supply\$3 or supplied or pipe or pipeline or tube or source)) with (coat\$3 near3 (path or supply\$3 or supplied or pipe or pipeline or tube or source)) with (seperat\$4 or different or exclusive or exclud\$3))) not (((rins\$3 or clean\$3 or solvent) near2 (path or supply\$3 or supplied or pipe or pipeline or tube or source)) with (coat\$3 near2 (path or supply\$3 or supplied or pipe or pipeline or tube or source)) with (seperat\$4 or different or exclusive or exclud\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 10:36

-	2	"10282329"	EPO; JPO; DERWENT; IBM TDB	2003/12/18 10:08
---	---	------------	----------------------------------	------------------